

**TRADEMARK ASSIGNMENT**

Electronic Version v1.1  
 Stylesheet Version v1.1

SUBMISSION TYPE:	NEW ASSIGNMENT
------------------	----------------

NATURE OF CONVEYANCE:	CHANGE OF NAME
-----------------------	----------------

CONVEYING PARTY DATA			
Name	Formerly	Execution Date	Entity Type
Sud-Chemie Inc.	United Catalysts Inc.	08/30/2004	CORPORATION: DELAWARE

RECEIVING PARTY DATA	
Name:	Sud-Chemie Inc.
Street Address:	1600 West Hill Street
Internal Address:	IP Department
City:	Louisville
State/Country:	KENTUCKY
Postal Code:	40210
Entity Type:	CORPORATION: DELAWARE
Name:	Sud-Chemie Inc.
Street Address:	1600 West Hill Street
Internal Address:	IP Department
City:	Louisville
State/Country:	KENTUCKY
Postal Code:	40210
Entity Type:	CORPORATION: DELAWARE

PROPERTY NUMBERS Total: 1		
Property Type	Number	Word Mark
Registration Number:	1295315	Y25

CORRESPONDENCE DATA	
Fax Number:	(502)634-7724
<i>Correspondence will be sent via US Mail when the fax attempt is unsuccessful.</i>	
Phone:	502-634-7200
Email:	jsimunic@sud-chemieinc.com
Correspondent Name:	Sud-Chemie Inc.
Address Line 1:	1600 West Hill Street

OP \$40.00 1295315

Address Line 2: IP Department  
Address Line 4: Louisville, KENTUCKY 40210

ATTORNEY DOCKET NUMBER: 20040721-001

NAME OF SUBMITTER: Donna Ferrill

Total Attachments: 1  
source=Y25#page1.tif

# Y25

FOR INDUSTRIAL AND PROFESSIONAL USE ONLY



**Süd-Chemie Inc.**  
Rheologicals and Performance Additives

## WARNING! FLAMMABLE

**Health Effects:** Harmful if inhaled. May affect the brain or nervous system, causing dizziness, headache, or nausea. Causes nose, throat, eye and skin irritation.

Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

See MSDS for further information

**PRODUCT CONTENTS**  
Trade Secret Registry # (80100045-5005P)  
XYLENE - CAS# 1330-20-7  
ETHYLBENZENE - CAS# 100-41-4

Attention!

AFTER THIS CONTAINER  
HAS BEEN EMPTIED, IT  
MAY CONTAIN EXPLOSIVE  
VAPORS.

KEEP AWAY FROM HEAT,  
SPARKS, AND FLAMES.

DO NOT CUT, PUNCTURE,  
OR WELD ON OR NEAR  
THIS CONTAINER.

**Net Weight: 375 lb (170 kg)**

REACTIVITY	0
PERSONAL PROTECTION	H

### DOT SHIPPING NAME

**RQ, FLAMMABLE SOLID, ORGANIC, n.o.s.**  
**(CONTAINS XYLENE AND ETHYLBENZENE)**

**4.1 UN1325 PG II ERG#133**

P.O. Box 32370 • Louisville, KY 40232 • Sales and Technical Service 1-800-468-7210

In Case of Emergency Contact Chemtrec day or night at 1-800-424-9300

TRADEMARK

REEL: 002925 FRAME: 0452

RECORDED: 08/30/2004