

**TRADEMARK ASSIGNMENT**

Electronic Version v1.1  
 Stylesheet Version v1.1

|                                  |  |                       |                       |
|----------------------------------|--|-----------------------|-----------------------|
| <b>SUBMISSION TYPE:</b>          | NEW ASSIGNMENT   |                       |                       |
| <b>NATURE OF CONVEYANCE:</b>     | ASSIGNS THE ENTIRE INTEREST AND THE GOODWILL   |                       |                       |
| <b>CONVEYING PARTY DATA</b>      |  |                       |                       |
| <b>Name</b>                      | <b>Formerly</b>  | <b>Execution Date</b> | <b>Entity Type</b>    |
| Colorado Business Bank           |  | 08/06/2009            | CORPORATION: COLORADO |
| <b>RECEIVING PARTY DATA</b>      |  |                       |                       |
| <b>Name:</b>                     | Stolle Machinery Company, LLC  |                       |                       |
| <b>Street Address:</b>           | 6949 South Potomac Street  |                       |                       |
| <b>City:</b>                     | Centennial   |                       |                       |
| <b>State/Country:</b>            | COLORADO   |                       |                       |
| <b>Postal Code:</b>              | 80112-4036   |                       |                       |
| <b>Entity Type:</b>              | CORPORATION: DELAWARE  |                       |                       |
| <b>PROPERTY NUMBERS Total: 1</b> |  |                       |                       |
| <b>Property Type</b>             | <b>Number</b>  | <b>Word Mark</b>      |                       |
| <b>Registration Number:</b>      | 3310434  | MICROFLEX             |                       |
| <b>CORRESPONDENCE DATA</b>       |  |                       |                       |
| <b>Fax Number:</b>               | (412)566-6099  |                       |                       |
|                                  | <i>Correspondence will be sent via US Mail when the fax attempt is unsuccessful.</i> |                       |                       |
| <b>Phone:</b>                    | 412.566.6000   |                       |                       |
| <b>Email:</b>                    | ipmail@eckertseamans.com   |                       |                       |
| <b>Correspondent Name:</b>       | Eckert Seamans Cherin & Mellott, LLC   |                       |                       |
| <b>Address Line 1:</b>           | 600 Grant Street, 44th Floor   |                       |                       |
| <b>Address Line 4:</b>           | Pittsburgh, PENNSYLVANIA 15219   |                       |                       |
| <b>ATTORNEY DOCKET NUMBER:</b>   | 291448-00599   |                       |                       |
| <b>NAME OF SUBMITTER:</b>        | Grant E. Coffield  |                       |                       |
| <b>Signature:</b>                | /Grant E. Coffield/  |                       |                       |
| <b>Date:</b>                     | 08/14/2009   |                       |                       |

OP \$40.00 3310434

Total Attachments: 5

source=Assignment#page1.tif

source=Assignment#page2.tif

source=Assignment#page3.tif

source=Assignment#page4.tif

source=Assignment#page5.tif

## INTELLECTUAL PROPERTY ASSIGNMENT

**THIS INTELLECTUAL PROPERTY ASSIGNMENT** (this "Assignment") is made as of the 6<sup>th</sup> day of August 2009, by COLORADO BUSINESS BANK, N.A., ("Assignor"), in favor of STOLLE MACHINERY COMPANY, LLC, a Delaware limited liability company ("Assignee").

### RECITALS

WHEREAS, pursuant to that certain Asset Purchase Agreement of even date herewith by and between Assignor and Assignee (the "Agreement"), Assignor has agreed to sell and transfer to Assignee certain assets of a debtor of Assignor pursuant to a Colorado Commercial Code sale.

WHEREAS, the Agreement provides that Assignor shall assign to Assignee the right, title and interest it has in and to the intellectual property of such debtor.

NOW, THEREFORE, for good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, Assignor does, for itself, its heirs, devisees, legal representatives, successors and assigns, hereby sell, grant, convey, transfer, assign, and deliver to Assignee, all of its right, title, and interest in and to the Intellectual Property set forth on Exhibit A attached hereto.

Assignor, for itself, and its heirs, devisees, legal representatives, successors and assigns, hereby covenants with Assignee, its successors and assigns, that Assignor will do, execute, acknowledge, and deliver, or will cause to be done, executed, acknowledged, and delivered, all such further acts, deeds, transfers, assignments, conveyances, and assurances for the better assuring, assigning, granting, transferring, conveying, and conferring unto Assignee, its successors and assigns, the Intellectual Property and proprietary rights, hereby granted, transferred, conveyed, assigned, and delivered, as Assignee or its successors or assigns, shall reasonably require.

This Assignment shall be governed by, and construed in accordance with the law of the State of Colorado applicable to contracts to be performed therein, without regard to its rules on conflicts of laws.

[SIGNATURE APPEARS ON FOLLOWING PAGE]



**Omnitech International Inc. – Patents, Trademarks & Other Intellectual Property  
Assets Subject to Foreclosure & Sale**

| <b>Date Filed / Issued</b> | <b>Patent Number / Application Number</b>                           | <b>Name of Patent / Application / Brief Description</b>  |
|----------------------------|---|--|
| November 16, 2004          | US 6,817,819 B2   | <b>EASY-OPEN CONTAINER END:</b> Overcomes disadvantages and limitations of prior art by providing a container end that can be easily opened and does not rely on conventional metal tab. Utilizes a traditional can end shell with unique design allowing traditional double seaming of end onto can body.   |
| August 22, 2006            | Application Number:<br>60/823,122<br><br>Provisional:<br>11/843,265 | <b>METAL BOTTLE SEAL:</b> Comprising a sealing system comprising a bottle seal formed in the shape of an annulus that is made from a material suitable for creating a seal with a closure; a metal bottle that is shaped to form a bottle neck, the bottle neck having a curl formed in an edge of the bottle neck, the curl formed in a crimped configuration that mechanically holds the bottle seal on the curl; an adhesive disposed between the bottle seal and curl the fills discontinuities in the curl and holds the bottle seal on the curl.   |
| September 21, 2006         | Application Number:<br>11/468,911<br><br>(Dropped)                  | <b>RECLOSABLE METAL BOTTLE:</b> A method of making a reclosable metal bottle comprising necking a body portion of the reclosable metal bottle to form a neck portion and includes an extended neck portion; trimming the extended neck portion from the neck portion to form a collar; working the collar to form threads and increase the diameter of the collar; backfilling indentations formed by the threads in the collar with a backfiller material; placing the collar over the neck; securing the collar to the neck.   |
| March 17, 2009             | US 7,503,741  | <b>FORMATION OF A CURL IN A UNITARY CLOSABLE CONTAINER:</b> A process for forming a curl in the neck of a metal bottle to provide an internal form plug having a pre-curl groove that matches a desired shape for a pre-curl; provides an external forming device that has a form roller having a lip that engages the pre-curl groove of internal form plug; placing internal form plug into an opening in neck of metal bottle against an interior surface of neck of metal bottle at a position on neck of metal bottle where pre-curl to be formed; moving external forming device so lip of form roller engages an exterior surface of neck of metal bottle to be aligned with pre-curl groove of internal form plug; rotating metal bottle and form roller to form pre-curl in neck of metal bottle; cutting neck of metal bottle along pre-curl; providing a curl roller that has a curl groove; aligning curl groove with pre-curl; engaging pre-curl with curl groove in curl roller and rotating curl roller to form curl in neck of metal bottle. |
| October 27, 2008           | Provisional<br>61/108,841   | <b>DIE SHAPING THE COSED END OF A TWO-PIECE CAN:</b> A process which allows the bottom of the can to be reduced in diameter so shapes with a larger diameter open end can be produced on two-piece cans, such as beverage and food cans.   |
| October 27, 2008           | Provision application<br>filed for                                  | <b>EASY OPENING END FOR THIN WALLED METAL FOOD CANS:</b> A method for opening a container lid around a peripheral portion of the container lid providing a plastic tab.  |
| September 17, 2006         | Trademark Serial<br>Number: 77001589                                | <b>MicroFlex™:</b> Scaleable and flexible drawn and ironed ( D & I ) can production system   |

Omnitech International Inc. – Patents, Trademarks & Other Intellectual Property  
Assets Subject to Foreclosure & Sale

- 1 MicroFlex Designs – MicroFlex is a small and flexible two-piece D&I line concept which makes it possible for two piece to have a lower point of entry (from a volume & cost point of view) than previously thought practical. A number of designs and concepts were developed and produced to support the concept, inclusive of the following:
  - a. General Arrangement Concepts & Drawings for:
    - i. Beverage Applications
    - ii. Food Applications
    - iii. Aerosol Applications
    - iv. Bottle Can Applications
  - b. Detailed Engineering for:
    - i. 600 CPM Food Can Line
    - ii. 500 CPM Bottle Can Line
    - iii. 900 CPM Steel Beverage Can Line
  - c. Supply Chain Development Record & Cost Details
  - d. Prospective Customer Log
  
- 2 Omnitech Equipment Designs including concepts & drawings – Fully Commercial & Proven
  - a. 600-900 CPM Can Washer Design
    - i. Aluminum
    - ii. Steel
    - iii. Steel Food Can
  - b. Internal Spray Machine
    - i. Servo Design
    - ii. Programmable Lance Option
    - iii. Bottom Spray Design
  - c. Internal Bake Oven
    - i. Standard Zone Design
    - ii. Can also serve as Dry Off for Washer
  - d. Bottom Rim Coater
  - e. Quick Change-over Light Tester
  - f. Conveyor Systems Designs
    - i. Mass Conveyors
    - ii. Live Corners
    - iii. Spiral Elevators and Accumulators
    - iv. Multi-Belt Single Filers
  - g. Coolant Filtration System
  
- 3 Omnitech Equipment Designs including concepts & drawings – Developmental (Mfg and Testing Conducted)
  - a. Servo Controlled Necking System
  - b. Top Forming System (process & tooling – machine by others)
  - c. Bottle Can & Aerosol Can washing & rinsing system
  
- 4 Omnitech Designs, Engineering & Documentation – Conventional D&I Can Lines

Omnitech International Inc. – Patents, Trademarks & Other Intellectual Property  
Assets Subject to Foreclosure & Sale

- a. All Auto Cad Drawing Files for past line installations and bid proposals
- b. All Systems Documentation for Process, Quality, Maintenance
- c. All Tooling Manuals, Designs, Drawings & Product Specifications
- d. All Facility & Installation Documentation
- e. Line Control Philosophy, Line Diagrams and Programs
- f. All Customer Files and Related Market information
- g. Utilities Interface